

International Journal Of Current Engineering And Scientific Research (IJCESR)

ISSN PRINT-2393-8374,ISSN ONLINE-2394-0697

DOI-10.21276/Ijcesr

[Home](#)

[Editors](#)

[Recent Issues](#)

[Topic](#)

[Submission](#)

[Monographs](#)

[Contact](#)

Indexed By

HOME

International Journal of Current Engineering And Scientific Research (IJCESR) is a leading international journal for publication of new ideas founded by academicians, educationist, engineers and corporate people. The research results and fundamental advancement are all aspects of innovative Research in Engineering & Technology and various engineering disciplines, etc.

IJCESR is an open access, peer reviewed international journal which provides an Academy medium for the advancement of research results that support high level learning and research in the field of Engineering and Technology.

IJCESR provides the academic community and industry for the submission of original research and applications related to Various Engineering discipline and Advanced Technologies.

Aim:

International Journal of Current Engineering And Scientific Research (IJCESR) is an open access journal, basically the aim of this journal to promote the new Innovative ideas in all fields of Engineering and Technology. Basically, this Journal will help to promote all Innovations in Engineering and Technology on one platform so that if anybody wants to integrate their ideas with other field of technology, they can implement it with the help of this Journal.

Scope:

The scope of the IJCESR is to provide an academic medium and an important reference for the advancement and dissemination of research results that support high-level learning, teaching and research in the fields of engineering, science and technology. Original theoretical work and application-based studies, which contributes to a better understanding of engineering and technological challenges, are encouraged.

DOI:10.21276/ijcesr



[Home](#) | [Contact Us](#)

Copyright ©International Journal of Current Engineering And Scientific Research (IJCESR)



International Journal Of Current Engineering And Scientific Research (IJCESR)

ISSN PRINT-2393-8374,ISSN ONLINE-2394-0697

DOI-10.21276/Ijcesr

[Home](#)

[Editors](#)

[Recent Issues](#)

[Topic](#)

[Submission](#)

[Registration](#)

[Monographs](#)

[Contact](#)

IMPACT FACTOR

IARC(JCRR)=0.916
GIF=0.695
SIF=0.73
JIF= 0.9
ICV 2015= 63.71
TOTAL=3,241

Indexed By



VOLUME 5 ISSUE 1 (PART-II) (JANUARY 2018) | PUBLICATION DATE:13TH JANUARY 2018

- 1 RADIAL DISTRIBUTION OF THE ATOM AND ION DENSITIES IN THE COPPER VAPOUR LASER DISCHARGE
Authors: A. P. Pachkawade
- 2 INFLUENCE OF CR 3+ION SUBSTITUTION ON STRUCTURAL AND ELECTRICAL PROPERTIES OF NICKEL FERRITE NANOPARTICLES
Authors: A.D.Tayade, G. R.Jadhao, Dr.M.C.Sable
- 3 STUDY OF GROUND WATER QUALITY FOR IRRIGATION IN SOME VILLAGES OF YAVATMAL DISTRICT, MAHARASHTRA (INDIA)
Authors: Wanjari A. J.
- 4 OSTRACODS DIVERSITY OF JUTPANI LAKE OF DHARNI (MELGHAT), DISTRICT AMRAVATI (M.S.), INDIA)
Authors: Shelekar, A. L.
- 5 TOXIC EFFECTS OF PARTHENIUM HYSTEROPHORUS ON HISTOLOGY OF GILLS OF FRESHWATER FISH LABEO ROHITA.
Authors: Vikhar A.M, R.G.Jadhao
- 6 LUMINESCENCE PROPERTIES OF SRAL2B2O7:EU3+ PHOSPHOR FOR GREEN LIGHTING TECHNOLOGY
Authors: A.N. Yerpude, V.V.Shinde, V.R.Panse, S. J. Dhoble, N.S.Kokode
- 7 ENVIRONMENTAL IMPACT ASSESSMENT
Authors: S.P. Ajmire, Dr. N.S. Raman, A. Z. Chitade
- 8 DIELECTRIC PARAMETERS OF LIQUID POLYMERS USING DIELECTRIC RELAXATION SPECTROSCOPY
Authors: B.D.Watode, A.C.Kumbharkhane
- 9 REVIEW ON THE PHOTOLUMINESCENCE PROPERTIES OF RARE-EARTH ACTIVATED PHOSPHORS FOR LED APPLICATIONS
Authors: Bhawana N. Gangne, Govind B. Nair, S. J. Dhoble
- 10 WET CHEMICAL PREPARATION AND PHOTOLUMINESCENCE IN Cs2MCl4:Eu2+ (M = Ba, Ca) PHOSPHOR FOR pLED APPLICATION
Authors: C.D. Mungmode , M. M. Bhave , B.V. Tupte , D.H. Gahane , S.V. Moharil
- 11 INVESTIGATION ON CALLUS FORMATION IN CAREYA ARBOREA ROXB
Authors: D. M. Wankhade, Dr. S. P. Rothe
- 12 THE SYNTHESIS AND EVALUATION OF COMBINE DRUG ACTION OF CODEINE AS SUPPLEMENTARY DRUG WITH DAKIN-WEST B-ACETAMIDOKETONES
Authors: Rameshwar S. Dhamak, Deepak. M. Nagrik, Shrikant S. Patil
- 13 Luminescence studies of Dy doped MgSrAl10O17 phosphor
Authors: Praveen K.Mishra, Vibha Chopra, Govind B.Nair, Surendra P.Mishra, R.K.Paliwal S.J. Dhoble
- 14 IMPACT OF ZINC SUBSTITUTION ON STRUCTURAL AND OPTICAL BEHAVIOR OF MIXED FERRITES
Authors: Dilip Badwaik
- 15 MATHEMATICAL MODELLING OF TRANSIENT THERMOELASTIC PROBLEM OF A CYLINDER
Authors: Dilip Kamdi, Navneet K Lamba
- 16 Sr2SnO4:Sm3+ PHOSPHOR FOR SOLID STATE LIGHTING
Authors: Deepak Taikar
- 17 THERMOLUMINESCENCE CHARACTERISTICS OF Ce3+ IN HALOSULPHATE PHOSPHOR SYNTHESIZED BY SOLID STATE DIFFUSION REACTION
Authors: G. N. Nikhare, S. C. Gedam, S. J. Dhoble
- 18 SYNTHESIS, PHOTOLUMINESCENCE AND THERMOLUMINESCENCE OF YAlO3:Eu3+ PHOSPHOR
Authors: I.H.Dhadade, Vibha Chopra, S.J. Dhoble,S.V. Moharil
- 19 SYNTHESIS AND LUMINESCENCE PROPERTY OF Na2CaMg(PO4)2:Dy3+ PHOSPHOR
Authors: J. A. Wani, S. J. Dhoble, N.S.Kokode, N.S.Dhoble
- 20

DOI:10.21276/ijcesr



- AUTO COMBUSTION SYNTHESIS AND PHOTOLUMINESCENCE OF MN²⁺ DOPED ZINC SILICATE NANO-PHOSPHORS
Authors: J.T.Ingle, R.P.Sonekar, S.K.Omanwar
- 21 ELECTROCHEMICAL PERFORMANCE OF MECHANOCHEMICALLY SYNTHESIZED La_{0.85}Si_{0.2}MnO₃
Authors: K. R. Nagde, S. S. Bhoga
- 22 PL CHARACTERISATION OF BaAl₂O₄:Gd³⁺ FOR PHOTOTHERAPY LAMP
Authors: Kapil Dev, R. G. Kunghatkar, M. Aynyas, Vibha Chopra, S. J. Dhoble
- 23 Eu³⁺ ACTIVATED LiAlPO₄Cl NOVEL RED HALOPHOSPHATE PHOSPHOR
Authors: Ashish Akojwar, P.K. Naktode, K.N. Shinde, N.S. Kokode
- 24 A SPECTROSCOPIC CHARACTERIZATION OF NOVEL CaAl_{3-x}(PO₄)₃F₂:Ce³⁺ (0.1 x 5) PHOSPHOR BY FACILE COMBUSTION METHOD
Authors: D.B. Zade, Ashish Akojwar, P.K. Naktode, K.N. Shinde, N.S. Kokode
- 25 SYNTHESIS AND OPTICAL PROPERTIES OF Yb³⁺ DOPED Li₃Ba₂La₃(MoO₄)₈
Authors: M.M. Bhawe, B.V.Tupte, C.D. Mungmode, D.H.Gahane, S.V.Moharil
- 26 PHYTOCHEMICAL INVESTIGATION OF DIFFERENT EXTRACTS OF WITHANIA SOMNIFERA ROOT
Authors: Mahesh A. Pawar
- 27 ENERGY TRANSFER IN K₂Ca(SO₄)₃:Ce³⁺, Dy³⁺
Authors: Urvashi Manik, S. C. Gedam, S. J. Dhoble
- 28 A SURVEY OF GASTROINTESTINAL PARASITES OF CERVUS UNICOLOR (SAMBAR) IN THE KATEPURNA SANCTUARY, AKOLA
Authors: Milind Shirbhate, Amrita Shirbhate
- 29 SYNTHESIS AND CHARACTERIZATION OF CDO NANOPARTICLES BY MICROWAVE ASSISTED IRRADIATION TECHNIQUE
Authors: N. B. Thakare, F. C. Raghuvanshi, V. S. Kalyamwar, Y. S. Tamgadge, S. N. Mendhe
- 30 EFFECT OF MALATHION ON PROTEIN LEVEL OF FRESH WATER FISH OPHIOCEPHALUS STRIATUS
Authors: Gijare, S. S., V.T. Tantarvale
- 31 SYNTHESIS AND CHARACTERIZATION OF ZnO AND SnO₂ DOPED POLYANILINE NANO COMPOSITES
Authors: Hamjade PT, Khaire ND, Motke SG
- 32 EFFECT OF MYCORRHIZAL BIOFERTILISER AND CHEMICAL FERTILIZER IN GLYCINE MAX.
Authors: Pradhnya Khapekar
- 33 SYNTHESIS AND CHARACTERIZATION OF POLYANILINE NANOWIRES BY A NOVEL ELECTROCHEMICAL POLYMERIZATION TECHNIQUE.
Authors: Prashant Gedam, Mahendra Shirsat
- 34 A REVIEW ON SYNTHETIC UTILITIES OF GALACTOSYL DERIVATIVES IN CARBOHYDRATE CHEMISTRY
Authors: Dr. Prashant R. Mahalle
- 35 IDENTIFICATION OF SQUAMOUS CELL CARCINOMA AND ITS PATHOLOGICAL DIAGNOSIS
Authors: Priya Deole
- 36 THERMO ACOUSTICAL EXCESS PARAMETERS OF BINARY LIQUID MIXTURE OF 1,4 DIOXANE AND MAGNESIUM HYDROXIDE AT 7 MHZ FREQUENCY
Authors: Bhat V R, Bhandakkar V D, Pawar N.R., Chimankar O.P, Bhat P.V
- 37 AN EFFICIENT Li₂SrSiO₄:Tb³⁺ PHOSPHOR FOR SOLID STATE LIGHTING
Authors: P.P. Bhure, S.P. Puppalwar, S.J. Dhoble
- 38 AUTOMATIC ALARM SYSTEM USING ANDROID SMART PHONE FOR COLLEGE OR INSTITUTION OR INDUSTRY
Authors: R. D. Wakodkar, Dr. D. H. Gahane, Dr. N. S. Kokode
- 39 N-DIMENSIONAL DUST STATIC SPHERICALLY SYMMETRIC NON-VACUUM SOLUTIONS IN f (R) THEORY OF GRAVITY
Authors: R. K. Jumale, I. S. Mohurley, D. H. Gahane, Jyotsna Jumale
- 40 ULTRAVIOLET-VISIBLE STUDIES OF L-VALINE CAPPED CuO NANOPARTICLES
Authors: R. P. Ganorkar, D. A. Patil, S. D. Kadu, Y. S. Tamgadge, M. A. Mahure, N. B. Thakare
- 41 YTTRIUM OXIDE AS AN ENGINEERING MATERIAL
Authors: R.S.Ukare, R.R.Kurzekar, G.D.Zade, S.J.Dhoble
- 42 SYNTHESIS AND GAS SENSING APPLICATION OF CONDUCTING POLYMER-POLYTHIOPHENE NANOCOMPOSITE
Authors: J. A. Tembhe, S. A. Waghuley
- 43 PHYTOPLANKTON DIVERSITY OF NANDGAON AND ARWAT LAKES OF CHANDRAPUR DISTRICT MAHARASHTRA, INDIA
Authors: S. C. Chunne, P. N. Nasare
- 44

- GEOLOGICAL APPLICATION OF Co(II), Ni(II), Cu(II) Cr(III), Mn(III), Fe(III), VO(IV), Zr(IV) and UO₂(VI) WITH SCHIFF BASE METAL COMPLEXES
Authors: S. R. Kelode, Y. K. Mawale
- 45 SYNTHESIS AND CHARACTERIZATION OF Tb³⁺ ACTIVATED Ba₃Si₆O₁₂N₂ PHOSPHOR
Authors: S.A.Fartode, Anoop Fartode, S.J.Dhoble
- 46 STUDY OF AMMONIA GAS SENSOR BASED ON SnO₂ AND ZnO NANOCRYSTALLINE COMPOSITE MATERIAL
Authors: S.G.Onkar, F.C.Raghuwanshi, V.S.Kalyamwar, S. D.Charpe.
- 47 SYNTHESIS AND ANTIMICROBIAL EVALUATION OF SOME NOVEL AND BIOLOGICALLY ACTIVE SCHIFF BASES BEARING A 1,3,4-THIADIAZOLE MOIETY
Authors: Prof. S.L. Kumbhare, Prof. V.H. Masand
- 48 DEVELOPMENTAL VARIATION OF INSECT ELAPHROTHRIPS PROCER (SCHMUTZ) (THYSANOPTERA: PHLAEOTHRIPIDAE)
Authors: Nagrale S.M.
- 49 SYNTHESIS AND PHOTOLUMINESCENCE PROPERTIES OF Er³⁺ -Yb³⁺ co-doped LiMgBO₃ PHOSPHOR
Authors: S.P. Hargunani, R. P. Sonekar, S. K.Omanwar
- 50 MODERN AGRICULTURE: CONCEPT AND IT'S BENEFITS
Authors: Dr. Shyam R. Dutonde
- 51 LAMPS HAVING WAVELENGTH SUITABLE FOR TREATMENT OF PHOTO-RESPONSIVE SKIN DISEASE VITILIGO
Authors: Dr. Swapnil S. Arsad
- 52 INVESTIGATION OF RHIZOSPHERE MYCOFLORA FROM SOME MEMBERS OF SOLANACEAE FAMILY
Authors: Madavi S.V., Wadekar M.B.
- 53 INFLUENCE OF CERIA DOPING ON STRUCTURAL AND OPTICAL PROPERTIES OF TIN OXIDE NANOPARTICLES
Authors: Sachin T. Bahade, Amrut S. Lanje, Satish J. Sharma, Amresh I. Prasad
- 54 ELECTRICAL CONDUCTIVITY STUDY OF THERMALLY STABLE NEWLY SYNTHESIZED TERPOLYMER
Authors: Sanjay N. Niley, Kiran P. Kariya, Baliram. N. Berad
- 55 SYNTHESIS AND CHARACTERISATION OF SOME NEW PYRAZOLINE DERIVATIVES AS ANTIMICROBIAL AGENTS
Authors: Santosh S.Ambhore, Mangesh.V.Kadu
- 56 FABRICATION OF SPHERICAL NANOCRYSTALLINE MnCo₂O₄ VIA SOL- GEL CITRATE ROUTE FOR SUPERCAPACITOR APPLICATION
Authors: Santosh J Uke, Vijay P. Akhare, Satish P. Meshram, Devidas R. Bambole, Dindayal S. Thakre, Gajanan N. Chaudhari
- 57 EFFECTS OF VERMIWASH ON SEED GERMINATION AND SEEDLING VIGOUR IN VARIETY OF WITHANIA SOMNIFERA (L) DUNAL
Authors: Sheikh Shagufta Amir, Dakhane Vimal P
- 58 GREEN CHEMISTRY BOON TO PROTECT ECOSYSTEM IN THE WORLD
Authors: Prof. Ku. Shaila S. Wagh
- 59 CHROMIUM (VI) COMPLEXES OF GLUTAMINE – STUDY OF SYNTHESIS AND CHARACTERIZATION OF ITS PROPERTIES FOR VIABILITY AS FOOD SUPPLEMENT
Authors: Sangita D. Katre
- 60 MECHANOLUMINESCENCE PRODUCED DURING CLEAVAGE OF ELEMENTAL SEMICONDUCTORS
Authors: Shalini Patil
- 61 SYNTHESIS AND ANTIMICROBIAL STUDY OF PYRAZOLINE FROM FLAVANONES AND HYDRAZINE
Authors: Shrikant A. Patil, MangeshV. Kadu
- 62 BIODIVERSITY OF ZOOPLANKTON AND ITS IMPORTANCE FOR FISH PRODUCTION ON MAJALGAON DAM RESERVOIR DISTRICT BEED. MAHARASHTRA STATE. INDIA.
Authors: Sitaram B. Ingole
- 63 INTERACTIONS OF DMSO WITH AQUEOUS SOLUTIONS OF AN ASSORTMENT OF DIHYDROFORMAZAN IN DIFFERENT CONCENTRATION AT 298.15 K
Authors: Smita S.Kharkale (Bhuyar), Sudhir S. Bhuyar, Pratibha S. Agrawal, Lalitmohan J. Paliwal
- 64 SYNTHESIS AND PL CHARECTERISATION OF Alq₃: Eu ORGANIC PHOSPHOR
Authors: Sunil A. Bhagat
- 65 TO STUDY THE INHIBITION EFFICIENCY OF THE CHELATING AGENTS AND THEIR METAL COMPLEXES
Authors: Bhagat.T.M.
- 66 SYNTHESIS AND PHOTOLUMINESCENCE PROPERTIES OF THE HIGH-BRIGHTNESS EU³⁺ DOPED Li_{0.5}Al_{0.5}Mg₂(MoO₄)₃ RED PHOSPHORS
Authors: B.V.Tupte, M.M. Bhave, C.D. Mungmode, D.H.Gahane, S.V.Moharil
- 67

- THERMOLUMINESCENCE ANALYSIS AND CALCULATION OF TRAPPING PARAMETERS OF SrZnF₄:Dy³⁺-PHOSPHOR
Authors: Tushar R. Shelke, Sumedha Tamboli, VibhaChopra, S. J. Dhoble
- 68 EVALUATION OF SENSORY QUALITIES AND NUTRITIONAL ABILITIES OF GUAVA RTS (READY TO SERVE) BEVERAGE ADDED WITH BETEL LEAVES AND MINT LEAVES.
Authors: Rushi Panajkar, Kapil Ubharhande, Sakshi Bang
- 69 ARANEIDAE (ORB WEAVERS) FROM SALBARDI FOREST DIST. AMRAVATI, (MS), INDIA.
Authors: U. S. Deshmukh
- 70 PREPARATION OF PROTEIN RICH COST EFFECTIVE WEANING FOOD BY FORTIFYING SOYBEAN SPROUT FLOUR WITH PIGEON PEA AND COWPEA SPROUTS FLOUR
Authors: Adhirath Telkhade, Sakshi Bang, Linatai Vaidya, Kapil Ubarhande
- 71 PREPARATION AND CHARACTERIZATION OF FE₂O₃ MODIFIED NANOCRYSTALLINE CR₂O₃ BASED THICK FILMS
Authors: P.M. Chandak , F.C. Raghuvanshi , V.S. Kalyamwar , V.D. Kapse
- 72 SYNTHESIS OF SMFEO₃ PEROVSKITE OXIDE BY SOL-GEL METHOD
Authors: R.B.Mankar, V.D.Kapse
- 73 DIVERSITY OF PHYTOPLANKTON OF FRESHWATER OF PAINTAKLI DAM OF BULDHANA DISTRICT (M.S.), INDIA
Authors: Kakde V.R.
- 74 INFRARED SPECTRAL STUDIES OF TICO SUBSTITUTED YTYPE STRONTIUM HEXAFERRITES SYNTHESIZED BY SOL-GEL AUTOCOMBUSTION METHOD
Authors: Vijay V. Warhate, D. S. Badwaik
- 75 MUSHROOM CULTIVATIONS; SUSTAINABLE AGRICULTURE FOR RURAL LIVELIHOOD AND IT'S CHALLENGES
Authors: Dr.Vilas Balajirao Ganipurkar
- 76 MICROWAVE DIELECTRIC RELAXATION STUDY OF BINARY MIXTURES OF POLYETHYLENE GLYCOL MONOMETHYLETER-WATER
Authors: R. N. Mathpati, P. G. Hudge, K. S. Kanse, Y. S. Joshi, A. C. Kumbarkhane
- 77 SYNTHESIS AND CHARACTERIZATION OF L-VALINE CAPPED SN DOPED CU NANOPARTICLES
Authors: Y. S. Tamgadge, R. P. Ganorkar, A. B. Malpe, A. V. Rewatkar, P. P. Gedam, G. G. Muley
- 78 MICROBIAL DISEASES OF FISHES AND THEIR BIOLOGICAL CONTROL USING BACILLUS THURINGIENSIS WITH SPECIAL REFERENCES TO CHANNA MARULIAS AND CLARIAS BATRACHUS: A REVIEW
Authors: Bodhe Y.G., Wadhai V.S.
- 79 ANALYSIS OF VARIATION OF ACID CATALYST CONCENTRATION ON PROPERTIES OF LOW-K THIN FILMS
Authors: Yogesh S. Mhaisagar, Bhavana N. Joshi, Ashok M. Mahajan
- 80 COMBUSTION SYNTHESIS AND THERMOLUMINESCENCE STUDIES OF γ -ray IRRADIATED K₂B₄O₇: Cu PHOSPHOR
Authors: Z. S. Khan, N. B. Ingale, S. K. Omanwar
- 81 OBSERVATIONS ON IMPORTANT MICROSCOPIC CHARACTERS FOR AUTHENTICATION OF AN ETHNOMEDICINAL PLANT ABELMOSCHUS FICULNEUS (L.) WIGHT AND ARN
Authors: Ujwala G. Malode
- 82 STRUCTURAL AND GAS SENSING STUDIES OF CHROMIUM DOPED COBALT ALUMINATE SPINEL COMPOSITE
Authors: Sarita V. Agnihotri, V.D. Kapse, F.C. Raghuvanshi, V.S. Kalyamwar
- 83 BIANCHI TYPE-V COSMOLOGICAL MODEL OF NON-LINEAR SPINOR FIELD COUPLING WITH ELECTROMAGNETIC FIELD
Authors: V R Patil, N S Bayaskar, G.U.Khapekar, S.A.Bhojane
- 84 ANTIBIOGRAM STUDY OF METHICILLIN RESISTANT STAPHYLOCOCCUS AUREUS AND DEMONSTRATION OF VANCOMYCIN RESISTANCE AMONG MRSA ISOLATES FROM TERTIARY CARE HOSPITAL, NAGPUR (M.S.) INDIA
Authors: Y. W., Wadhai, V. S. , Bhandari, P
- 85 MICROBIAL CONTAMINATION OF CURRENCY NOTES IN CIRCULATION
Authors: A. D. Mate, Garode A. M
- 86 QUALITIES OF ALCOHOL MENTIONED IN AYURVED
Authors: A. G. Kulkarni
- 87 OCTAHEDRAL MOLECULAR SIEVE (K-OMS-2) SUPPORTED METAL NANOPARTICLES FOR CATALYSIS
Authors: A. S. Nagpure, N. G. Gode, G. P. Juare, S. M. Sontakke
- 88 PHENOLOGICAL STUDY OF SOME SPECIES OF FABACEAE FROM BULDHANA DISTRICT, MAHARASHTRA (INDIA)
Authors: A.V. Wakode, Dr. M. M. Dhore
- 89 HAEMOGLOBIN CONCENTRATION AMONG THE PEOPLE IN SLUM AREA (AMRAVATI, INDIA): SURVEY & DISCUSSION

- Authors:** Archana B. Ingole (Ubhad)
- 90 A COMPARATIVE STUDY OF BODY COMPOSITION BETWEEN REGULARLY ACTIVE AND INACTIVE GROUPS OF SCHOOL GOING STUDENTS
Authors: Ashish Govindrao Barde
- 91 DETERMINATION OF MEDIAN TOLERANCE LIMIT (LC50) OF CLARIAS BATRACHUS FOR MERCURIC CHLORIDE
Authors: Bhise J.V.
- 92 AEROMYCOFLORA OF TWO RESIDENTIAL PLACES AT NAGPUR (MS) INDIA
Authors: Bhonde, M. C., Kalkar, S. A.
- 93 LYOLUMINESCENCE STUDY OF GAMMA-RAY IRRADIATED DY3+ ACTIVATED CAB4O7 PHOSPHORS FOR DOSIMETRY APPLICATIONS
Authors: G.C.Mishra , S.J.Dhoble , R.S.Kher
- 94 SYNTHESIS OF NANOPARTICLES FROM CLERODENDRUM PHLOMIDIS L. AND ITS ANTIMICROBIAL ACTIVITY
Authors: Dhulgande Govind Santoba, Ghogare Datta Subhashrao
- 95 SEASONAL VARIATION STUDY OF SENGU (DOLLFUS, 1934) IN CHANNA GACHUA FROM AMRAVATI RESION
Authors: P. R. Gaikwad, S. R. Nagmote, Prof. Dr. M. B. Sonune
- 96 OCCURRENCE OF MYCOFLORA ASSOCIATED WITH CASHEW NUTS (ANACARDIUM OCCIDENTALE L.)
Authors: G.B. Hedawoo, Harsha V. Bijwe
- 97 ANT DIVERSITY IN WADALI FOREST PARK AND UPPER WARDHA OF AMRAVATI REGION
Authors: Jayashree Deepak Dhote
- 98 EFFECT OF THIOSULPHATE ORAL ADMINISTRATION ON GAMETOGENESIS OF THE SLUG, LAEVICAULIS ALTE.
Authors: Tayade D.V., R.G.Jadhao, Nagmote S.R.
- 99 DETECTION AND QUANTIFICATION OF MINERAL AND HEAVY METALS ANALYSIS IN LEAF OF CLEISTANTHUS COLLINUS FOR TOXICITY
Authors: Rajdip Utane, Sujata Deo
- 100 BACTERIOLOGICAL EVALUATION OF HONEY SOLD IN THE MARKET
Authors: V.R.Sapkal, Garode A.M.
- 101 PHYSICO-CHEMICAL AND PHYTO-CHEMICAL EVALUTION OF SOYMIDA FEBRIFUGA (ROXB A JUSS) USED BY HERBAL HEALERS FOR LIVESTOCK
Authors: Dr.Vanita U.Pochhi
- 102 BIOLOGICAL DETERMINATION OF BEAUTY SOAP
Authors: S.O. Wakade, Garode A. M.
- 103 THEORETICAL STUDY OF LASER STIMULATED THERMOLUMINESCENCE USING CO₂ LASER
Authors: Manoj Kumar Prajapati, Upendra Singh
- 104 SYNTHESIS OF Sr DOPED ZnO BY USING CHEMICALLY MODIFIED ROUTE
Authors: A. U. Bajpeyee
- 105 APHRODISIAC ACTIVITY OF ACID PHOS ON MALE ALBINO RAT
Authors: C. K. Deshmukh, K. D. Ingle
- 106 DIVERSITY OF MICROFUNGI ASSOCIATED WITH PLANT LITTER OF VERIOUS PLANT FROM MELGHAT FOREST DURING WINTER SEASON
Authors: C.V. Dadgale
- 107 A METHODOICAL STUDY OF PHYSICO-CHEMICAL CHARACTERIZATION OF FARMLAND SOIL OF MARKAND VILLAGE LOCATED IN NANDED DISTRICT IN MAHARASHTRA, INDIA
Authors: M.T. Sangole, A. A. Sangole, S. M. Thorat
- 108 ANTIMICROBIAL AND ANTIOXIDANT ACTIVITY OF THREE MEDICINALLY IMPORTANT CAPPARIS SPECIES FROM WESTERN MELGHAT REGION DHARNI (MS) INDIA
Authors: Khandare N A, Janjal S M, Patorkar T O
- 109 SYNTHESIS OF SILVER NANO-PARTICLES USING COPRECIPITATION METHOD
Authors: Amol Nande, Nitin Longadge, Nagma Sheikh, Swati Raut
- 110 ELECTROCHEMICALLY SYNTHESIZED COPPER OXIDE NANOPARTICLES AND THEIR ANTIMICROBIAL ACTIVITY
Authors: Sonali M. Janjal, Nitin A. Khandare, Anjali S. Rajbhoj, Suresh T. Gaikwad
- 111 SYNTHESIS OF SOME FLAVONE & PYRAZOLINE DERIVATIVE AND THEIR ANTIMICROBIAL AND PHYSICO-CHEMICAL STUDY
Authors: V.D. Mane1, Shaikh Azeem, P.S. Pande, M.O. Malpani, H J Kharat

[Home](#) | [Contact Us](#)

Copyright ©International Journal of Current Engineering And Sceintific Research (IJCESR)



PREPARATION AND CHARACTERIZATION OF Fe_2O_3 MODIFIED NANOCRYSTALLINE Cr_2O_3 BASED THICK FILMS

P.M. Chandak¹, F.C. Raghuwanshi², V.S. Kalyamwar³, V.D. Kapse⁴

¹ Department of Physics, B.B. Arts, N.B. Commerce and B.P. Science College, Digras, Maharashtra State, India

² Department of Physics, Vidyabharati Mahavidyalaya, Amravati, Maharashtra State, India

³ Department of Physics, Bhartiya Mahavidyalaya, Amravati, Maharashtra State, India

⁴ Department of Physics, Arts, Science and Commerce College, Chikhaldara, Maharashtra State, India

Abstract

Pure and Iron (Fe) doped chromium (III) oxide (Cr_2O_3) nanoparticles have been prepared by co-precipitation method. Structural behavior of Cr_2O_3 nanoparticles was examined by X-ray diffraction (XRD) and the average crystallite size of the synthesized Cr_2O_3 nanoparticles was measured from XRD patterns using Scherrer equation and was found to be ~ 23 nm. Almost uniform and spherical-like morphologies and compositional elements of the synthesized nanoparticles were observed by the field emission scanning electron microscopy (FESEM) and energy dispersive X-ray (EDX) spectroscopy, respectively. Thick films of pure Cr_2O_3 were prepared by screen-printing technique. The surfaces of these films were modified by dipping them into a 0.01M aqueous solution of ferric chloride (FeCl_3) for different intervals of time, followed by firing at 550°C for 30 min. The firing resulted in the oxidation of the FeCl_3 additive into Fe_2O_3 i.e Fe_2O_3 modified Cr_2O_3 thick films.

Keywords: Nanocrystalline; Chromium Oxide; Thick films; Additives

1. Introduction

Transition metal oxides have attracted a great deal of attention in recent years, due to their unique physical, chemical, optical, electrical and magnetic properties [1–5]. Among various transition metal oxides, Cr_2O_3 is one of the widely investigated material because

of its wide band gap (~ 3.3 eV) [6]. Cr_2O_3 is an intrinsic semiconductor nature at high temperature ($>1000^\circ\text{C}$), whereas extrinsic p-type semiconductor nature at lower temperatures [7, 8]. This kind of p-type wide band gap oxide semiconductors may be a good candidate for numerous applications. The applications of Cr_2O_3 material depends not only on their composition and an addition of suitable dopants but also on their structure, phase, shape, size and synthesizing techniques. As a result, the synthesis of nanomaterials with large surface area to volume (lesser particle size) and high chemical activities has been the subject of active research.

Different preparation techniques for synthesis of Cr_2O_3 nanoparticles have been reported in the literature. For most of the techniques, highly explosive reactants, more complex processes, environmentally sensitive, more expensive reaction apparatus and higher calcination temperature is required. Moreover, most of methods produced a nonhomogenous particle size distribution, highly agglomerated and low yields. Among them, co-precipitation is considered as a cost effective and a less time consuming route. This technique can be used for the production of high purity nanocrystalline Cr_2O_3 on large scale.

So, the aim of the present work is to prepare nanocrystalline Cr_2O_3 by co-precipitation route to investigate the effect of Fe_2O_3 modification on structural and morphological behaviour of Cr_2O_3 based thick films fabricated by screen printing technique.

2. Experimental

2.1. Synthesis of Cr_2O_3 nanostructure

In present work 25.50 gm $\text{Cu}(\text{NO}_3)_2 \cdot 9\text{H}_2\text{O}$ was dissolved in 50 ml double distilled water and then kept on magnetic stirrer at 80°C for 1h, a transparent solution was formed. In this solution ammonia was added drop wise until a precipitated of pH 9 was formed. After ageing at room temperature for overnight the Chromium hydroxide was recovered by filtration, washing with double distilled water and drying at 110°C for 24h Cr_2O_3 nanomaterial was obtained by calcining Chromium hydroxide at 500°C and 600°C for 5 hours. The synthesized Cr_2O_3 nanostructure product was used for further study.

2.2. Preparation of thick films

Thick films of Cr_2O_3 nanostructure were prepared by using screen printing technique. In this process paste was formulated by mixing the synthesized Cr_2O_3 nanostructure. Powder with ethyl cellulose (a temporary binder) in mixture of three organic solvents. The ratio of inorganic to organic part was kept as 75:25 in formulating the pastes. The ready pastes were screen printed on a glass substrate in desired patterns. The films prepared were fired at 500°C for 12h. Prepared thick films termed as pure Cr_2O_3 thick films.

2.3. Fe_2O_3 modified Cr_2O_3 thick films

Surface of pure Cr_2O_3 thick films were modified by dipping them into 0.01M aqueous

solution of FeCl_3 (99%AR grade, Merck) for different intervals of time (2, 3, 4 min.) Dipped thick films were dried under IR lamp for 1h. Dried thick films were fired at 500°C for 30min. The FeCl_3 dispersed on the film surface was oxidised to Fe_2O_3 in firing process and sensor elements with different mass % of Fe_2O_3 on the surface of Cr_2O_3 thick films were obtained. These surface modified thick films are termed as Fe_2O_3 modified Cr_2O_3 thick films.

3. Results and discussion

3.1. X-ray diffraction studies

Fig. 1 shows X-ray diffraction (XRD) patterns of synthesized Cr_2O_3 powder samples, the observed peaks are matching well with JCPDS data of Cr_2O_3 . The characteristic peaks observed in the spectrum are higher in intensity which indicates that the as-synthesized samples are of good crystalline nature. The average crystallite size (D) was estimated from the Debye-Scherrer's equation: $D = 0.9 \lambda / \beta \cos \theta$; where λ is the wavelength of X-rays (1.54056 \AA), β is the FWHM, θ is the diffraction angle at which the full width at half maximum (FWHM) measured.

The average crystallite size of the synthesized Cr_2O_3 nanoparticles was measured from XRD patterns using Scherrer equation and was found to be $\sim 23 \text{ nm}$.




Fig. 1: X-ray diffraction pattern of Cr_2O_3 powder sample calcinated at 600°C .


3.2. Scanning electron microscopic study

Fig. 2 (a-d) shows typical FE-SEM images of the pure and Fe_2O_3 modified Cr_2O_3


thick films prepared by screen printing technique. It can be seen from Fig. 2 (a) that the pure Cr_2O_3 nanoparticles were nearly

uniform spherical shapes and very small particles in evidently dispersed without large agglomerates. Fig. 2 (b-d) depicts the microstructure of Fe_2O_3 modified film for 2 min., 3 min. and 4 min., respectively, consist of particles with smaller size and shape associated with the Cr_2O_3 grains. Moreover, it can be seen


that there is decrease in the agglomerations with the increase in the content of Fe. The average grain size of the fabricated thick films is observed to be in the range of 20 nm to 28 nm.




(a)



(b)



(c)



(d)

Fig. 2: FE-SEM microstructures for (a) Cr_2O_3 nanoparticles (b) Fe_2O_3 modified Cr_2O_3 thick films (2 min.) (c) Fe_2O_3 modified Cr_2O_3 thick films (3 min.) (d) Fe_2O_3 modified Cr_2O_3 thick films (4 min.).

4. Conclusions

In this paper, nanocrystalline Cr_2O_3 has been successfully prepared by co-precipitation method. The average crystallite size of as-prepared Cr_2O_3 has been estimated to be ~ 23 nm. The as-prepared nanoparticles are high purity, composition and produced with minimal agglomeration. The crystallite sizes calculated from XRD data show good agreement with those particle sizes obtained by FE-SEM. The morphological characterization of pure and Fe_2O_3 modified Cr_2O_3 thick films reveals that there is decrease in the agglomerations with the increase in the content of Fe.

References

- [1] M. Maaza, B.D. Ngom, M. Achouri, K. Manikandan, Functional nanostructured oxides, *Vacuum*. 114 (2015) 172–187.
- [2] J. Rockenberger, E.C. Scher, A.P. Alivisatos, A New Nonhydrolytic Single-Precursor Approach to Surfactant-Capped Nanocrystals of Transition Metal Oxides, *J. Am. Chem. Soc.* 121 (1999) 11595–11596.
- [3] R.W. Siegel, Cluster-Assembled Nanophase Materials, *Annu. Rev. Mater. Sci.* 21 (1991) 559–578.
- [4] H.Y. Hwang, Y. Iwasa, M. Kawasaki, B. Keimer, N. Nagaosa, Y. Tokura, Emergent phenomena at oxide interfaces., *Nat. Mater.* 11 (2012) 103–13.
- [5] S.A. Makhlof, Magnetic properties of Cr_2O_3 Nanoparticles, *J. Magn. Mater.* 272-276 (2004) 1530–1532.
- [6] R.E. Kirby, E.L. Garwin, F.K. King, A.R. Nyaiesh, Surface properties of Cr_2O_3 , *J. Appl. Phys.* 62 (1987) 1400.
- [7] L.N. Cojocaru, Electrical Properties of Non-Stoichiometric Cr_2O_3 , *Zeitschrift Für Phys. Chemie.* 64 (1969) 255–262.
- [8] L.N. Cojocaru, T. Costea, I. Negoescu, Electrical Properties of Non-Stoichiometric Oxides of CrO_3 - Cr_2O_3 Systems, *Zeitschrift Für Phys. Chemie.* 60 (1968) 152–158.