

International Journal Of Current Engineering And Scientific Research (IJCESR)

ISSN PRINT-2393-8374,ISSN ONLINE-2394-0697

DOI-10.21276/Ijcesr

[Home](#)

[Editors](#)

[Recent Issues](#)

[Topic](#)

[Submission](#)

[Monographs](#)

[Contact](#)

Indexed By

HOME

International Journal of Current Engineering And Scientific Research (IJCESR) is a leading international journal for publication of new ideas founded by academicians, educationist, engineers and corporate people. The research results and fundamental advancement are all aspects of innovative Research in Engineering & Technology and various engineering disciplines, etc.

IJCESR is an open access, peer reviewed international journal which provides an Academy medium for the advancement of research results that support high level learning and research in the field of Engineering and Technology.

IJCESR provides the academic community and industry for the submission of original research and applications related to Various Engineering discipline and Advanced Technologies.

Aim:

International Journal of Current Engineering And Scientific Research (IJCESR) is an open access journal, basically the aim of this journal to promote the new Innovative ideas in all fields of Engineering and Technology. Basically, this Journal will help to promote all Innovations in Engineering and Technology on one platform so that if anybody wants to integrate their ideas with other field of technology, they can implement it with the help of this Journal.

Scope:

The scope of the IJCESR is to provide an academic medium and an important reference for the advancement and dissemination of research results that support high-level learning, teaching and research in the fields of engineering, science and technology. Original theoretical work and application-based studies, which contributes to a better understanding of engineering and technological challenges, are encouraged.

DOI:10.21276/ijcesr



[Home](#) | [Contact Us](#)

Copyright ©International Journal of Current Engineering And Scientific Research (IJCESR)



International Journal Of Current Engineering And Scientific Research (IJCESR)

ISSN PRINT-2393-8374,ISSN ONLINE-2394-0697

DOI-10.21276/Ijcesr

[Home](#)

[Editors](#)

[Recent Issues](#)

[Topic](#)

[Submission](#)

[Registration](#)

[Monographs](#)

[Contact](#)

IMPACT FACTOR

IARC(JCRR)=0.916
GIF=0.695
SIF=0.73
JIF= 0.9
ICV 2015= 63.71
TOTAL=3,241


Indexed By



VOLUME 5 ISSUE 1 (PART-II) (JANUARY 2018) | PUBLICATION DATE:13TH JANUARY 2018

- 1 RADIAL DISTRIBUTION OF THE ATOM AND ION DENSITIES IN THE COPPER VAPOUR LASER DISCHARGE
Authors: A. P. Pachkawade
- 2 INFLUENCE OF CR 3+ION SUBSTITUTION ON STRUCTURAL AND ELECTRICAL PROPERTIES OF NICKEL FERRITE NANOPARTICLES
Authors: A.D.Tayade, G. R.Jadhao, Dr.M.C.Sable
- 3 STUDY OF GROUND WATER QUALITY FOR IRRIGATION IN SOME VILLAGES OF YAVATMAL DISTRICT, MAHARASHTRA (INDIA)
Authors: Wanjari A. J.
- 4 OSTRACODS DIVERSITY OF JUTPANI LAKE OF DHARNI (MELGHAT), DISTRICT AMRAVATI (M.S.), INDIA)
Authors: Shelekar, A. L.
- 5 TOXIC EFFECTS OF PARTHENIUM HYSTEROPHORUS ON HISTOLOGY OF GILLS OF FRESHWATER FISH LABEO ROHITA.
Authors: Vikhar A.M, R.G.Jadhao
- 6 LUMINESCENCE PROPERTIES OF SRAL2B2O7:EU3+ PHOSPHOR FOR GREEN LIGHTING TECHNOLOGY
Authors: A.N. Yerpude, V.V.Shinde, V.R.Panse, S. J. Dhoble, N.S.Kokode
- 7 ENVIRONMENTAL IMPACT ASSESSMENT
Authors: S.P. Ajmire, Dr. N.S. Raman, A. Z. Chitade
- 8 DIELECTRIC PARAMETERS OF LIQUID POLYMERS USING DIELECTRIC RELAXATION SPECTROSCOPY
Authors: B.D.Watode, A.C.Kumbharkhane
- 9 REVIEW ON THE PHOTOLUMINESCENCE PROPERTIES OF RARE-EARTH ACTIVATED PHOSPHORS FOR LED APPLICATIONS
Authors: Bhawana N. Gangne, Govind B. Nair, S. J. Dhoble
- 10 WET CHEMICAL PREPARATION AND PHOTOLUMINESCENCE IN Cs2MCl4:Eu2+ (M = Ba, Ca) PHOSPHOR FOR pLED APPLICATION
Authors: C.D. Mungmode , M. M. Bhave , B.V. Tupte , D.H. Gahane , S.V. Moharil
- 11 INVESTIGATION ON CALLUS FORMATION IN CAREYA ARBOREA ROXB
Authors: D. M. Wankhade, Dr. S. P. Rothe
- 12 THE SYNTHESIS AND EVALUATION OF COMBINE DRUG ACTION OF CODEINE AS SUPPLEMENTARY DRUG WITH DAKIN-WEST B-ACETAMIDOKETONES
Authors: Rameshwar S. Dhamak, Deepak. M. Nagrik, Shrikant S. Patil
- 13 Luminescence studies of Dy doped MgSrAl10O17 phosphor
Authors: Praveen K.Mishra, Vibha Chopra, Govind B.Nair, Surendra P.Mishra, R.K.Paliwal S.J. Dhoble
- 14 IMPACT OF ZINC SUBSTITUTION ON STRUCTURAL AND OPTICAL BEHAVIOR OF MIXED FERRITES
Authors: Dilip Badwaik
- 15 MATHEMATICAL MODELLING OF TRANSIENT THERMOELASTIC PROBLEM OF A CYLINDER
Authors: Dilip Kamdi, Navneet K Lamba
- 16 Sr2SnO4:Sm3+ PHOSPHOR FOR SOLID STATE LIGHTING
Authors: Deepak Taikar
- 17 THERMOLUMINESCENCE CHARACTERISTICS OF Ce3+ IN HALOSULPHATE PHOSPHOR SYNTHESIZED BY SOLID STATE DIFFUSION REACTION
Authors: G. N. Nikhare, S. C. Gedam, S. J. Dhoble
- 18 SYNTHESIS, PHOTOLUMINESCENCE AND THERMOLUMINESCENCE OF YAlO3:Eu3+ PHOSPHOR
Authors: I.H.Dhadade, Vibha Chopra, S.J. Dhoble, S.V. Moharil
- 19 SYNTHESIS AND LUMINESCENCE PROPERTY OF Na2CaMg(PO4)2:Dy3+ PHOSPHOR
Authors: J. A. Wani, S. J. Dhoble, N.S.Kokode, N.S.Dhoble
- 20

DOI:10.21276/ijcesr



- AUTO COMBUSTION SYNTHESIS AND PHOTOLUMINESCENCE OF MN²⁺ DOPED ZINC SILICATE NANO-PHOSPHORS
Authors: J.T.Ingle, R.P.Sonekar, S.K.Omanwar
- 21 ELECTROCHEMICAL PERFORMANCE OF MECHANOCHEMICALLY SYNTHESIZED La_{0.85}Si_{0.2}MnO₃
Authors: K. R. Nagde, S. S. Bhoga
- 22 PL CHARACTERISATION OF BaAl₂O₄:Gd³⁺ FOR PHOTOTHERAPY LAMP
Authors: Kapil Dev, R. G. Kunghatkar, M. Aynyas, Vibha Chopra, S. J. Dhoble
- 23 Eu³⁺ ACTIVATED LiAlPO₄Cl NOVEL RED HALOPHOSPHATE PHOSPHOR
Authors: Ashish Akojwar, P.K. Naktode, K.N. Shinde, N.S. Kokode
- 24 A SPECTROSCOPIC CHARACTERIZATION OF NOVEL CaAl_{3-x}(PO₄)₃F₂:Ce³⁺ (0.1 x 5) PHOSPHOR BY FACILE COMBUSTION METHOD
Authors: D.B. Zade, Ashish Akojwar, P.K. Naktode, K.N. Shinde, N.S. Kokode
- 25 SYNTHESIS AND OPTICAL PROPERTIES OF Yb³⁺ DOPED Li₃Ba₂La₃(MoO₄)₈
Authors: M.M. Bhawe, B.V.Tupte, C.D. Mungmode, D.H.Gahane, S.V.Moharil
- 26 PHYTOCHEMICAL INVESTIGATION OF DIFFERENT EXTRACTS OF WITHANIA SOMNIFERA ROOT
Authors: Mahesh A. Pawar
- 27 ENERGY TRANSFER IN K₂Ca(SO₄)₃:Ce³⁺, Dy³⁺
Authors: Urvashi Manik, S. C. Gedam, S. J. Dhoble
- 28 A SURVEY OF GASTROINTESTINAL PARASITES OF CERVUS UNICOLOR (SAMBAR) IN THE KATEPURNA SANCTUARY, AKOLA
Authors: Milind Shirbhate, Amrita Shirbhate
- 29 SYNTHESIS AND CHARACTERIZATION OF CDO NANOPARTICLES BY MICROWAVE ASSISTED IRRADIATION TECHNIQUE
Authors: N. B. Thakare, F. C. Raghuvanshi, V. S. Kalyamwar, Y. S. Tamgadge, S. N. Mendhe
- 30 EFFECT OF MALATHION ON PROTEIN LEVEL OF FRESH WATER FISH OPHIOCEPHALUS STRIATUS
Authors: Gijare, S. S., V.T. Tantarpare
- 31 SYNTHESIS AND CHARACTERIZATION OF ZnO AND SnO₂ DOPED POLYANILINE NANO COMPOSITES
Authors: Hamjade PT, Khaire ND, Motke SG
- 32 EFFECT OF MYCORRHIZAL BIOFERTILISER AND CHEMICAL FERTILIZER IN GLYCINE MAX.
Authors: Pradhnya Khapekar
- 33 SYNTHESIS AND CHARACTERIZATION OF POLYANILINE NANOWIRES BY A NOVEL ELECTROCHEMICAL POLYMERIZATION TECHNIQUE.
Authors: Prashant Gedam, Mahendra Shirsat
- 34 A REVIEW ON SYNTHETIC UTILITIES OF GALACTOSYL DERIVATIVES IN CARBOHYDRATE CHEMISTRY
Authors: Dr. Prashant R. Mahalle
- 35 IDENTIFICATION OF SQUAMOUS CELL CARCINOMA AND ITS PATHOLOGICAL DIAGNOSIS
Authors: Priya Deole
- 36 THERMO ACOUSTICAL EXCESS PARAMETERS OF BINARY LIQUID MIXTURE OF 1,4 DIOXANE AND MAGNESIUM HYDROXIDE AT 7 MHZ FREQUENCY
Authors: Bhat V R, Bhandakkar V D, Pawar N.R., Chimankar O.P, Bhat P.V
- 37 AN EFFICIENT Li₂SrSiO₄:Tb³⁺ PHOSPHOR FOR SOLID STATE LIGHTING
Authors: P.P. Bhure, S.P. Puppalwar, S.J. Dhoble
- 38 AUTOMATIC ALARM SYSTEM USING ANDROID SMART PHONE FOR COLLEGE OR INSTITUTION OR INDUSTRY
Authors: R. D. Wakodkar, Dr. D. H. Gahane, Dr. N. S. Kokode
- 39 N-DIMENSIONAL DUST STATIC SPHERICALLY SYMMETRIC NON-VACUUM SOLUTIONS IN f (R) THEORY OF GRAVITY
Authors: R. K. Jumale, I. S. Mohurley, D. H. Gahane, Jyotsna Jumale
- 40 ULTRAVIOLET-VISIBLE STUDIES OF L-VALINE CAPPED CuO NANOPARTICLES
Authors: R. P. Ganorkar, D. A. Patil, S. D. Kadu, Y. S. Tamgadge, M. A. Mahure, N. B. Thakare
- 41 YTTRIUM OXIDE AS AN ENGINEERING MATERIAL
Authors: R.S.Ukare, R.R.Kurzekar, G.D.Zade, S.J.Dhoble
- 42 SYNTHESIS AND GAS SENSING APPLICATION OF CONDUCTING POLYMER-POLYTHIOPHENE NANOCOMPOSITE
Authors: J. A. Tembhe, S. A. Waghuley
- 43 PHYTOPLANKTON DIVERSITY OF NANDGAON AND ARWAT LAKES OF CHANDRAPUR DISTRICT MAHARASHTRA, INDIA
Authors: S. C. Chunne, P. N. Nasare
- 44

- GEOLOGICAL APPLICATION OF Co(II), Ni(II), Cu(II) Cr(III), Mn(III), Fe(III), VO(IV), Zr(IV) and UO₂(VI) WITH SCHIFF BASE METAL COMPLEXES
Authors: S. R. Kelode, Y. K. Mawale
- 45 SYNTHESIS AND CHARACTERIZATION OF Tb³⁺ ACTIVATED Ba₃Si₆O₁₂N₂ PHOSPHOR
Authors: S.A.Fartode, Anoop Fartode, S.J.Dhoble
- 46 STUDY OF AMMONIA GAS SENSOR BASED ON SnO₂ AND ZnO NANOCRYSTALLINE COMPOSITE MATERIAL
Authors: S.G.Onkar, F.C.Raghuwanshi, V.S.Kalyamwar, S. D.Charpe.
- 47 SYNTHESIS AND ANTIMICROBIAL EVALUATION OF SOME NOVEL AND BIOLOGICALLY ACTIVE SCHIFF BASES BEARING A 1,3,4-THIADIAZOLE MOIETY
Authors: Prof. S.L. Kumbhare, Prof. V.H. Masand
- 48 DEVELOPMENTAL VARIATION OF INSECT ELAPHROTHRIPS PROCER (SCHMUTZ) (THYSANOPTERA: PHLAEOTHRIPIDAE)
Authors: Nagrale S.M.
- 49 SYNTHESIS AND PHOTOLUMINESCENCE PROPERTIES OF Er³⁺ -Yb³⁺ co-doped LiMgBO₃ PHOSPHOR
Authors: S.P. Hargunani, R. P. Sonekar, S. K.Omanwar
- 50 MODERN AGRICULTURE: CONCEPT AND IT'S BENEFITS
Authors: Dr. Shyam R. Dutonde
- 51 LAMPS HAVING WAVELENGTH SUITABLE FOR TREATMENT OF PHOTO-RESPONSIVE SKIN DISEASE VITILIGO
Authors: Dr. Swapnil S. Arsad
- 52 INVESTIGATION OF RHIZOSPHERE MYCOFLORA FROM SOME MEMBERS OF SOLANACEAE FAMILY
Authors: Madavi S.V., Wadekar M.B.
- 53 INFLUENCE OF CERIA DOPING ON STRUCTURAL AND OPTICAL PROPERTIES OF TIN OXIDE NANOPARTICLES
Authors: Sachin T. Bahade, Amrut S. Lanje, Satish J. Sharma, Amresh I. Prasad
- 54 ELECTRICAL CONDUCTIVITY STUDY OF THERMALLY STABLE NEWLY SYNTHESIZED TERPOLYMER
Authors: Sanjay N. Niley, Kiran P. Kariya, Baliram. N. Berad
- 55 SYNTHESIS AND CHARACTERISATION OF SOME NEW PYRAZOLINE DERIVATIVES AS ANTIMICROBIAL AGENTS
Authors: Santosh S.Ambhore, Mangesh.V.Kadu
- 56 FABRICATION OF SPHERICAL NANOCRYSTALLINE MnCo₂O₄ VIA SOL- GEL CITRATE ROUTE FOR SUPERCAPACITOR APPLICATION
Authors: Santosh J Uke, Vijay P. Akhare, Satish P. Meshram, Devidas R. Bambole, Dindayal S. Thakre, Gajanan N. Chaudhari
- 57 EFFECTS OF VERMIWASH ON SEED GERMINATION AND SEEDLING VIGOUR IN VARIETY OF WITHANIA SOMNIFERA (L) DUNAL
Authors: Sheikh Shagufta Amir, Dakhane Vimal P
- 58 GREEN CHEMISTRY BOON TO PROTECT ECOSYSTEM IN THE WORLD
Authors: Prof. Ku. Shaila S. Wagh
- 59 CHROMIUM (VI) COMPLEXES OF GLUTAMINE – STUDY OF SYNTHESIS AND CHARACTERIZATION OF ITS PROPERTIES FOR VIABILITY AS FOOD SUPPLEMENT
Authors: Sangita D. Katre
- 60 MECHANOLUMINESCENCE PRODUCED DURING CLEAVAGE OF ELEMENTAL SEMICONDUCTORS
Authors: Shalini Patil
- 61 SYNTHESIS AND ANTIMICROBIAL STUDY OF PYRAZOLINE FROM FLAVANONES AND HYDRAZINE
Authors: Shrikant A. Patil, MangeshV. Kadu
- 62 BIODIVERSITY OF ZOOPLANKTON AND ITS IMPORTANCE FOR FISH PRODUCTION ON MAJALGAON DAM RESERVOIR DISTRICT BEED. MAHARASHTRA STATE. INDIA.
Authors: Sitaram B. Ingole
- 63 INTERACTIONS OF DMSO WITH AQUEOUS SOLUTIONS OF AN ASSORTMENT OF DIHYDROFORMAZAN IN DIFFERENT CONCENTRATION AT 298.15 K
Authors: Smita S.Kharkale (Bhuyar), Sudhir S. Bhuyar, Pratibha S. Agrawal, Lalitmohan J. Paliwal
- 64 SYNTHESIS AND PL CHARECTERISATION OF Alq₃: Eu ORGANIC PHOSPHOR
Authors: Sunil A. Bhagat
- 65 TO STUDY THE INHIBITION EFFICIENCY OF THE CHELATING AGENTS AND THEIR METAL COMPLEXES
Authors: Bhagat.T.M.
- 66 SYNTHESIS AND PHOTOLUMINESCENCE PROPERTIES OF THE HIGH-BRIGHTNESS EU³⁺ DOPED Li_{0.5}Al_{0.5}Mg₂(MoO₄)₃ RED PHOSPHORS
Authors: B.V.Tupte, M.M. Bhawe, C.D. Mungmode, D.H.Gahane, S.V.Moharil
- 67

- THERMOLUMINESCENCE ANALYSIS AND CALCULATION OF TRAPPING PARAMETERS OF SrZnF₄:Dy³⁺-PHOSPHOR
Authors: Tushar R. Shelke, Sumedha Tamboli, VibhaChopra, S. J. Dhoble
- 68 EVALUATION OF SENSORY QUALITIES AND NUTRITIONAL ABILITIES OF GUAVA RTS (READY TO SERVE) BEVERAGE ADDED WITH BETEL LEAVES AND MINT LEAVES.
Authors: Rushi Panajkar, Kapil Ubharhande, Sakshi Bang
- 69 ARANEIDAE (ORB WEAVERS) FROM SALBARDI FOREST DIST. AMRAVATI, (MS), INDIA.
Authors: U. S. Deshmukh
- 70 PREPARATION OF PROTEIN RICH COST EFFECTIVE WEANING FOOD BY FORTIFYING SOYBEAN SPROUT FLOUR WITH PIGEON PEA AND COWPEA SPROUTS FLOUR
Authors: Adhirath Telkhade, Sakshi Bang, Linatai Vaidya, Kapil Ubarhande
- 71 PREPARATION AND CHARACTERIZATION OF FE₂O₃ MODIFIED NANOCRYSTALLINE CR₂O₃ BASED THICK FILMS
Authors: P.M. Chandak , F.C. Raghuvanshi , V.S. Kalyamwar , V.D. Kapse
- 72 SYNTHESIS OF SMFEO₃ PEROVSKITE OXIDE BY SOL-GEL METHOD
Authors: R.B.Mankar, V.D.Kapse
- 73 DIVERSITY OF PHYTOPLANKTON OF FRESHWATER OF PAINTAKLI DAM OF BULDHANA DISTRICT (M.S.), INDIA
Authors: Kakde V.R.
- 74 INFRARED SPECTRAL STUDIES OF TICO SUBSTITUTED YTYPE STRONTIUM HEXAFERRITES SYNTHESIZED BY SOL-GEL AUTOCOMBUSTION METHOD
Authors: Vijay V. Warhate, D. S. Badwaik
- 75 MUSHROOM CULTIVATIONS; SUSTAINABLE AGRICULTURE FOR RURAL LIVELIHOOD AND IT'S CHALLENGES
Authors: Dr.Vilas Balajirao Ganipurkar
- 76 MICROWAVE DIELECTRIC RELAXATION STUDY OF BINARY MIXTURES OF POLYETHYLENE GLYCOL MONOMETHYLETER-WATER
Authors: R. N. Mathpati, P. G. Hudge, K. S. Kanse, Y. S. Joshi, A. C. Kumbarkhane
- 77 SYNTHESIS AND CHARACTERIZATION OF L-VALINE CAPPED SN DOPED CU NANOPARTICLES
Authors: Y. S. Tamgadge, R. P. Ganorkar, A. B. Malpe, A. V. Rewatkar, P. P. Gedam, G. G. Muley
- 78 MICROBIAL DISEASES OF FISHES AND THEIR BIOLOGICAL CONTROL USING BACILLUS THURINGIENSIS WITH SPECIAL REFERENCES TO CHANNA MARULIAS AND CLARIAS BATRACHUS: A REVIEW
Authors: Bodhe Y.G., Wadhai V.S.
- 79 ANALYSIS OF VARIATION OF ACID CATALYST CONCENTRATION ON PROPERTIES OF LOW-K THIN FILMS
Authors: Yogesh S. Mhaisagar, Bhavana N. Joshi, Ashok M. Mahajan
- 80 COMBUSTION SYNTHESIS AND THERMOLUMINESCENCE STUDIES OF γ -ray IRRADIATED K₂B₄O₇: Cu PHOSPHOR
Authors: Z. S. Khan, N. B. Ingale, S. K. Omanwar
- 81 OBSERVATIONS ON IMPORTANT MICROSCOPIC CHARACTERS FOR AUTHENTICATION OF AN ETHNOMEDICINAL PLANT ABELMOSCHUS FICULNEUS (L.) WIGHT AND ARN
Authors: Ujwala G. Malode
- 82 STRUCTURAL AND GAS SENSING STUDIES OF CHROMIUM DOPED COBALT ALUMINATE SPINEL COMPOSITE
Authors: Sarita V. Agnihotri, V.D. Kapse, F.C. Raghuvanshi, V.S. Kalyamwar
- 83 BIANCHI TYPE-V COSMOLOGICAL MODEL OF NON-LINEAR SPINOR FIELD COUPLING WITH ELECTROMAGNETIC FIELD
Authors: V R Patil, N S Bayaskar, G.U.Khapekar, S.A.Bhojane
- 84 ANTIBIOGRAM STUDY OF METHICILLIN RESISTANT STAPHYLOCOCCUS AUREUS AND DEMONSTRATION OF VANCOMYCIN RESISTANCE AMONG MRSA ISOLATES FROM TERTIARY CARE HOSPITAL, NAGPUR (M.S.) INDIA
Authors: Y. W., Wadhai, V. S. , Bhandari, P
- 85 MICROBIAL CONTAMINATION OF CURRENCY NOTES IN CIRCULATION
Authors: A. D. Mate, Garode A. M
- 86 QUALITIES OF ALCOHOL MENTIONED IN AYURVED
Authors: A. G. Kulkarni
- 87 OCTAHEDRAL MOLECULAR SIEVE (K-OMS-2) SUPPORTED METAL NANOPARTICLES FOR CATALYSIS
Authors: A. S. Nagpure, N. G. Gode, G. P. Juare, S. M. Sontakke
- 88 PHENOLOGICAL STUDY OF SOME SPECIES OF FABACEAE FROM BULDHANA DISTRICT, MAHARASHTRA (INDIA)
Authors: A.V. Wakode, Dr. M. M. Dhore
- 89 HAEMOGLOBIN CONCENTRATION AMONG THE PEOPLE IN SLUM AREA (AMRAVATI, INDIA): SURVEY & DISCUSSION

- Authors:** Archana B. Ingole (Ubhad)
- 90 A COMPARATIVE STUDY OF BODY COMPOSITION BETWEEN REGULARLY ACTIVE AND INACTIVE GROUPS OF SCHOOL GOING STUDENTS
Authors: Ashish Govindrao Barde
- 91 DETERMINATION OF MEDIAN TOLERANCE LIMIT (LC50) OF CLARIAS BATRACHUS FOR MERCURIC CHLORIDE
Authors: Bhise J.V.
- 92 AEROMYCOFLORA OF TWO RESIDENTIAL PLACES AT NAGPUR (MS) INDIA
Authors: Bhonde, M. C., Kalkar, S. A.
- 93 LYOLUMINESCENCE STUDY OF GAMMA-RAY IRRADIATED DY3+ ACTIVATED CAB4O7 PHOSPHORS FOR DOSIMETRY APPLICATIONS
Authors: G.C.Mishra , S.J.Dhoble , R.S.Kher
- 94 SYNTHESIS OF NANOPARTICLES FROM CLERODENDRUM PHLOMIDIS L. AND ITS ANTIMICROBIAL ACTIVITY
Authors: Dhulgande Govind Santoba, Ghogare Datta Subhashrao
- 95 SEASONAL VARIATION STUDY OF SENGU (DOLLFUS, 1934) IN CHANNA GACHUA FROM AMRAVATI RESION
Authors: P. R. Gaikwad, S. R. Nagmote, Prof. Dr. M. B. Sonune
- 96 OCCURRENCE OF MYCOFLORA ASSOCIATED WITH CASHEW NUTS (ANACARDIUM OCCIDENTALE L.)
Authors: G.B. Hedawoo, Harsha V. Bijwe
- 97 ANT DIVERSITY IN WADALI FOREST PARK AND UPPER WARDHA OF AMRAVATI REGION
Authors: Jayashree Deepak Dhote
- 98 EFFECT OF THIOSULPHATE ORAL ADMINISTRATION ON GAMETOGENESIS OF THE SLUG, LAEVICAULIS ALTE.
Authors: Tayade D.V., R.G.Jadhao, Nagmote S.R.
- 99 DETECTION AND QUANTIFICATION OF MINERAL AND HEAVY METALS ANALYSIS IN LEAF OF CLEISTANTHUS COLLINUS FOR TOXICITY
Authors: Rajdip Utane, Sujata Deo
- 100 BACTERIOLOGICAL EVALUATION OF HONEY SOLD IN THE MARKET
Authors: V.R.Sapkal, Garode A.M.
- 101 PHYSICO-CHEMICAL AND PHYTO-CHEMICAL EVALUTION OF SOYMIDA FEBRIFUGA (ROXB A JUSS) USED BY HERBAL HEALERS FOR LIVESTOCK
Authors: Dr.Vanita U.Pochhi
- 102 BIOLOGICAL DETERMINATION OF BEAUTY SOAP
Authors: S.O. Wakade, Garode A. M.
- 103 THEORETICAL STUDY OF LASER STIMULATED THERMOLUMINESCENCE USING CO₂ LASER
Authors: Manoj Kumar Prajapati, Upendra Singh
- 104 SYNTHESIS OF Sr DOPED ZnO BY USING CHEMICALLY MODIFIED ROUTE
Authors: A. U. Bajpeyee
- 105 APHRODISIAC ACTIVITY OF ACID PHOS ON MALE ALBINO RAT
Authors: C. K. Deshmukh, K. D. Ingle
- 106 DIVERSITY OF MICROFUNGI ASSOCIATED WITH PLANT LITTER OF VERIOUS PLANT FROM MELGHAT FOREST DURING WINTER SEASON
Authors: C.V. Dadgale
- 107 A METHODOICAL STUDY OF PHYSICO-CHEMICAL CHARACTERIZATION OF FARMLAND SOIL OF MARKAND VILLAGE LOCATED IN NANDED DISTRICT IN MAHARASHTRA, INDIA
Authors: M.T. Sangole, A. A. Sangole, S. M. Thorat
- 108 ANTIMICROBIAL AND ANTIOXIDANT ACTIVITY OF THREE MEDICINALLY IMPORTANT CAPPARIS SPECIES FROM WESTERN MELGHAT REGION DHARNI (MS) INDIA
Authors: Khandare N A, Janjal S M, Patorkar T O
- 109 SYNTHESIS OF SILVER NANO-PARTICLES USING COPRECIPITATION METHOD
Authors: Amol Nande, Nitin Longadge, Nagma Sheikh, Swati Raut
- 110 ELECTROCHEMICALLY SYNTHESIZED COPPER OXIDE NANOPARTICLES AND THEIR ANTIMICROBIAL ACTIVITY
Authors: Sonali M. Janjal, Nitin A. Khandare, Anjali S. Rajbhoj, Suresh T. Gaikwad
- 111 SYNTHESIS OF SOME FLAVONE & PYRAZOLINE DERIVATIVE AND THEIR ANTIMICROBIAL AND PHYSICO-CHEMICAL STUDY
Authors: V.D. Mane1, Shaikh Azeem, P.S. Pande, M.O. Malpani, H J Kharat

[Home](#) | [Contact Us](#)

Copyright ©International Journal of Current Engineering And Sceintific Research (IJCESR)



STRUCTURAL AND GAS SENSING STUDIES OF CHROMIUM DOPED COBALT ALUMINATE SPINEL COMPOSITE

Sarita V. Agnihotri¹, V.D. Kapse², F.C. Raghuwanshi³, V.S. Kalyamwar⁴

¹Department of Physics, Arts, Commerce and Science College, Kiran Nagar, Amravati, Maharashtra State, India.

²Department of Physics, Arts, Science and Commerce College, Chikhaldara, Maharashtra State, India

³Department of Physics, Vidyabharati Mahavidyalaya, Amravati, Maharashtra State, India

⁴Department of Physics, Bhartiya Mahavidyalaya, Amravati, Maharashtra State, India

ABSTRACT

Chromium doped cobalt aluminate spinel was prepared from cobalt and aluminium nitrate solutions using coprecipitation method by ammonia as precipitant, doped with 0.5 amounts of chromium nitrate. Sample characterizations were carried out by X-ray diffraction (XRD), Fourier transform infrared (FTIR) spectroscopy. The spinel phase crystallinity, according to the intensity and broadness of diffraction peaks and to the synthesis method. Two characteristic peaks referred to vibrations of the atom in tetrahedral and octahedral holes were found for Al_2O_3 and Co-Cr, respectively. The morphology and elemental composition of the film was observed through scanning electron microscopy with energy dispersive analysis (SEM-EDAX). The sensor response of prepared film was studied towards different gases like liquefied petroleum gas, carbon dioxide, methane ammonia and ethanol. The film shows the maximum sensing response towards 500 ppm LPG.

Keywords: Coprecipitation, X ray diffraction, Fourier transforms infrared spectroscopy, scanning electron microscopy, gas sensing.

1. Introduction

Semiconductor transition metal oxides are suitable materials for environmental gas sensing applications due to their reproducibility in gas detection. Recently scientist has great interest in

nano-crystalline spinel aluminates because of their versatile practical properties and application. The general formula of spinel is AB_2O_4 . Aluminates have high thermal stability, mechanical resistance, and low surface acidity. Different application of aluminates is microwave devices, magnetic fluids, heterogeneous catalysis, absorbent materials, pigment catalyst and refractory material [1-3]. Cobalt aluminates ($CoAl_2O_4$) is a thermally and chemically stable pigment of intense blue color (Thenard's blue). Cobalt aluminate is spinel type oxide which occurs in normal or inverse spinel which having cubic structure. From last few years, coprecipitation method has been used to prepare a series of mixed-metal oxides, nanoscale, nanomaterials and nonporous oxides, organic-inorganic hybrids. The addition of chromium retards the growth of the bulk cobalt aluminate phase on the surface and forms new phases. The results demonstrate the influence of starting material, complexing agent, annealing temperature, heating time and other parameters on the phase purity and crystallinity of the prepared products [4-6].

2. Materials and methods

Cr^{3+} doped aluminates was prepared using coprecipitation synthesis, which involves heating of metal nitrate and aluminium nitrate in stoichiometric proportions [7]. $Co_{0.5}Cr_{0.5}Al_2O_4$ sample, was prepared from $Al(NO_3)_3 \cdot 9H_2O$, $Co(NO_3)_2 \cdot 6H_2O$ and $Cr(NO_3)_3 \cdot 9H_2O$ were weighed and dissolved in distilled water. This mixture was stirred for 2 hr

at the 80^oc temperature. After stirring ammonia was added to this mixture. The obtained precipitate was dried in oven for 24 hr at 110^oc. Then the powder was calcinate at 850^oc for 4 hr.

The crystallinity and phase of the powder was observed through X-ray diffraction (XRD) and Fourier transforms infrared spectroscopy (FTIR). X ray measurement of mixed oxide was carried out with cu k_α radiation. Sample was scanned in the range 10^o-90^o. The crystallite size of Co_{0.5}Cr_{0.5}Al₂O₄ present in the investigated solids was based on X-ray diffraction line broadening and calculated by using Scherer equation [8]. The FTIR spectrum is obtained in

the range 400 - 4000 cm⁻¹ which shows characteristic bands. To study the gas sensing behavior, thick film of as prepared powder sample was fabricated by screen printing method and sintering at 200^oc. The surface morphology of the sintered porous film was determined by (JEOL JSM 7600F) scanning electron microscope at the desired magnification with energy dispersive X-ray analysis (SEM-EDAX). The static gas-sensing unit was used to investigate the sensing performance of the fabricated sensor elements. To measure the gas sensing characteristics, desired volume of the test gas was injected into a glass chamber and mixed with air.

3. Results and discussion

3.1. X-Ray diffraction studies




Fig.1. The XRD pattern of Co_{0.5}Cr_{0.5}Al₂O₄ powder sample.

The X-ray diffraction patterns of Co_{0.5}Cr_{0.5}Al₂O₄ powders are shown in Fig. 1. X-ray diffraction patterns of the samples annealed at 850^oC for 4 h obtained by the cobalt, chromium and aluminium nitrate by co precipitation route [9]. The XRD pattern of fig.1 shows peaks corresponding to cobalt aluminate spinel-like phase. As the concentration of the chromium was increased single-phase of cobalt aluminates was not obtained for the composites with higher amounts of chromium added is present regardless of the used synthesis method.

The spinel phase crystallinity, according to the intensity and broadness of diffraction peaks and to the synthesis method. The addition of chromium retards the growth of the bulk cobalt aluminate phase on the surface and forms new phases. The average crystallite sizes (D) were measured from XRD peaks based on the Scherrer's equation [10]: $D = 0.89k / (b \cos\theta)$, where k is the wavelength of X-ray, θ the diffraction angle and b the true half-peak width. The crystallite size of Co_{0.5}Cr_{0.5}Al₂O₄ powder sample is 20.3 nm.

3.2. Fourier transforms infrared spectroscopy




Fig.2: FTIR spectra of $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ powder sample.

Figure shows the FTIR spectrum of $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ at 850°C for 4 h. Several absorptions are observed in FTIR spectrum. The spectra exhibit a common broad band near 3455.01cm^{-1} due to the OH-stretching vibrations of free and hydrogen-bonded 1634.06cm^{-1} . Two characteristic peaks referred to vibrations of the atom in tetrahedral and octahedral holes were found at 642.07 and 520.19cm^{-1} for $\text{Al}_2\text{-O}_3$ and Co-Cr, respectively. The $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ powder sample was confirmed spinel phase by FTIR.

3.3. Scanning electron microscopy with energy dispersive analysis:

SEM was used to study morphological features. Fig. 3 shows the SEM micrograph of the $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ thick film. The porous structure of the particle can be observed, with different pore sizes, which is consistent with the higher values for surface area and pore volume. SEM image of thick film sensor surfaces are highly porous and this makes it highly suitable for sensing application. Energy dispersive X-ray analysis was carried out during SEM analysis to determine elemental composition of the film. The EDAX spectrum of $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ thick films is shown in Figure 4. EDAX Spectrum confirms the presence of chromium in the doped samples.




Fig.3: SEM image of $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ based thick film.




Fig. 4: EDAX spectra of $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ based thick film.

3.4. Gas sensing test

The gas sensing properties of $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ have been studied towards LPG, CO_2 , CH_4 , $\text{C}_2\text{H}_5\text{OH}$, NH_3 . The temperature is varied between 298 to 408 K. Both adsorption and combustion of the reducing gases occur on the surface of the sensors. The depletion of the lattice oxygen might be responsible for the sensitivity of the sensor to

the gases. The response of the $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ film to LPG, CO_2 , CH_4 , $\text{C}_2\text{H}_5\text{OH}$, NH_3 was measured at different operating temperature and results are shown in Figure 5. From figure it is clearly seen that, sample $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ shows the maximum sensor response 13.31 towards 500 ppm LPG. A sensor could selectively detect LPG at lower operating temperature without serious interference from other tested gases.




Fig.5: Sensor response of $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ towards different gases at 348 K.

3.5. Conclusion

Spinel type $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ oxide material was successfully prepared by coprecipitation route. The XRD spectra suggested the formation of a spinel phase for $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ composite. The vibrational stretching frequency corresponding to the composites was confirmed by FT-IR spectroscopy. Microstructure of the film was studied with Scanning electron microscope (SEM) with EDAX. It was found that $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ thick film sensor shows maximum response to 500 ppm LPG at 348 K. This new approach enriches the preparation

method of $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ and brings new opportunity for the application of $\text{Co}_{0.5}\text{Cr}_{0.5}\text{Al}_2\text{O}_4$ nanomaterials as gas sensors. It can be used as selective gas-sensing materials to LPG.

REFERENCES

1. S. Bid and S.K. Pradan, Materials Chemistry and Physics 82 27 (2003).
2. R.E. Ayala and D.W. Marsh, Ind. Chem. Res. 30 55 (1991)

3. N. Ouahdi, S. Guillemet J.J. Demai, B. Durand L. Er. Rakho, R. Moussa and A. Samdi, *Material Letters* 95 334 (2005).
4. Bolt, P. H., Habraken, F. H. P. M and Geus, J. W., *J. Solid. State Chem.* 135(1998)59.
5. S. Chokkaram, R. Srinivasan, D. R. Milburn, B. H. Davis, *J. Mol. Catal. A: Chem.* 121(1997)157.
6. U. L. Stangar, B. Orel, M. Krajnc, R. C. Korosec, P. Bukovec, *Materiali in Tehnologije*, 36(2002)387.
7. J.J. Kingsley, K.C. Patil, *Mater. Lett.* 6 (1988) 427.
8. B. D. Cullity, *Elements of X-ray Diffraction*, Addison-Wesley Publishing Co. Inc. (1976) (Chapter 14).
9. Lenglet M, Lefez B, *Infrared optical properties of cobalt (II) spinels*, *Solid State Commun.* 98 (1996) 689-694.
10. B.E. Warren, *X-ray Diffraction*, Addison-Wesley, Reading, MA, (1980)253.